

Quotation Request //

US Government Printing Office

Atlanta Regional Printing Procurement Office
1888 Emery St., Suite 110
Atlanta GA 30318-2566

JACKET:524-362

Quotations are Due By:

(Eastern Time) 11:00 AM on 02/26/2009

Submit Fax Quotes to: (404) 605-9185

Contractors must provide mandatory taxpayer information before GPO makes payment.

Please see special notice on <http://contractorconnect.gpo.gov/>.

TITLE: THE ORIENTEERING HANDBOOK

QUANTITY: 400 Saddle-stitched Books

TRIM SIZE: 8-1/2 x 11"

PAGES: 76 + wrap around cover

SCHEDULE:

Furnished Material will be available for pickup by 02/27/2009

Deliver complete (to arrive at destination) by 03/23/2009

F.O.B. destination

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

Cover 1 prints type, line, screened and barcode matter in black and red. Covers 2-4 do not print.

Twelve (12) text pages* print type, line and screened matter in black and red. The balance of text prints type, line, screened and halftone matter in black. (*text pages 8, 10, 11, 13, 14, 22, 31, 38, 39, 56, 60 and 61)

NOTE: Cover 1 and 12 specified text pages must be run on a minimum 2-color press with one single pass. High resolution digital printing (computer to plate) is acceptable for the entire publication as long as Quality Level 3 is maintained. Inkjet printing or color copying (toner) is not acceptable.

MATERIAL FURNISHED: Contractor to pickup at GPO. See below.

- See below for electronic media for page layout.
- One similar printed sample to be used as pagination guide and color separation guide (Note: Sample is not drilled per required specifications.)

Electronic Media -

Platform: Unknown

Storage Media: CD

Software:

- One PDF file will be furnished.
- File may contain low resolution images.
- Contractor MUST have the ability to edit PDF files.
- Contractor is not to request that files be converted to a different format. If contractor wishes to convert files to a different format, the final output must be at the same or higher quality.

Output: High resolution output of 150 line screen for all screens/halftones. High resolution output of 1200 or higher DPI for the balance.

Fonts: All fonts are embedded and/or embedded subsets.

A color laser visual of the furnished electronic files will be furnished.

Colors identified as CMYK. Contractor to convert all colors to spot colors black and red PMS 199 on Cover 1 and 12 specified text pages. Convert the balance to spot color black.

Additional information:

Identification markings such as register marks, commercial identification marks of any kind, etc., except GPO imprint, form number and revision date, carried in the electronic files, must not print on the finished product.

Prior to image processing, the contractor shall perform a basic check (preflight) of the furnished media and publishing files to assure correct output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file image processing must be reported to your contract administrator.

The contractor shall create or edit any necessary trapping, set proper screen angles and screen frequency, and define file output selection for the imaging device being utilized. Furnished files must be imaged as necessary to meet the assigned quality level.

When Post Script Files are not furnished - prior to making revisions, the contractor shall copy the furnished files and make all changes to the copy.

Upon completion of each order, the contractor must furnish final production native application files (digital deliverable) with the furnished media. The digital deliverables must be an exact representation of the final product and shall be returned on the same type of storage media as was originally furnished. The Government will not accept, as digital deliverables, any proprietary file formats other than those supplied, unless specified by the Government.

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order

- Text: JCP Code* A60, Offset Book, White, Basis Size 25 X 38", Basis Weight 50#

- Cover: JCP Code* L20, Vellum-Finish Cover, White, Basis Size 20 X 26", Basis Weight 50#

COLOR OF INK: Ink Must Contain a Minimum of 20% Vegetable Oil

Black + Red PMS 199

PRINT PAGE: Head to Head

MARGINS:

- Follow file setup, adequate gripper.

BINDING:

- Saddle stitch in 2 places on the 11" side.

- Trim 3 sides.

- Paper Covers: wrap around, trim flush, stitched on, grain must run parallel to spine and score at bind.

- Drill 3 round holes 1/4" in diameter 4-1/4" c. to c.; centered on the 11" bind edge; center of the holes

suitable from the bind edge without loss of information.

PACKING:

- Pack suitable per shipping container.
- NOTE: All shipping container labels MUST contain the following information clearly legible or the shipment may be refused upon delivery:
 - (1) Originating address
 - (2) Destination address
 - (3) Stock Number: 0509-LP-042-0003
 - (4) Barcode (see Cover 1 for copy)
 - (5) Quantity per carton
 - (6) Carton number
 - (7) Total number of cartons

DISTRIBUTION:

- Deliver 400 copies to: Carolyn McCree, 290 Sprague Ave., Bldg. 809, Saufley Field, Pensacola, FL 32509.
- Return all furnished material by traceable means to: NJROTC Program, Attn: Mike Lawton, 250 Dallas St., Ste. A, Pensacola, FL 32508-5268.
- DISPUTES CLAUSE: GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at www.gpo.gov/printforms/pdf/contractdisputes.pdf. This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.

- All GPO publications referenced in these specifications are available on the internet via the GPO web-site, <http://www.contractorconnect.gpo.gov>.

QUALITY ASSURANCE LEVELS AND STANDARDS: The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

- (a) Non-destructive Tests -- General Inspection Level I.
- (b) Destructive Tests -- Special Inspection Level S-2.

Specified Standards-- The specified standards for the attributes requiring them shall be:

ATTRIBUTE	SPECIFIED STANDARD
P-7. Type Quality and Uniformity	File Setup
P-9. Solid or Screen Tints Color Match	Pantone Matching System